



Member of the FM Global Group



Valves | Water Control Valves (OS&Y and NRS Gate Valves) | **Gate Valves, Inside Screw**

Fig. F0211-300, F0222-300, F0213-300, F0233-300, F0212-300, F0218-300, F0288-300

Resilient Seated Gate Valve. Available with an indicator post flange. Rated Working Pressure 300 psi (2070 kPa). Available with the end connections listed below:

Product Specification

Model No	Valve Size		End Connection
	in	(mm)	
Fig. F0211-300	2, 2 1/2, 3, 4, 5, 6, 8, 10, 12	(50, 65, 80, 100, 125, 150, 200, 250, 300)	Flange × Flange (ANSI, ISO, JIS)
Fig. F0222-300	2, 2 1/2, 3, 4, 5, 6, 8, 10, 12	(50, 65, 80, 100, 125, 150, 200, 250, 300)	Groove × Groove (ANSI, ISO, JIS)
Fig. F0213-300	2 1/2, 3, 4, 5, 6, 8, 10, 12	(65, 80, 100, 125, 150, 200, 250, 300)	Flange × Mechanical Joint
Fig. F0233-300	2 1/2, 3, 4, 5, 6, 8, 10, 12	(65, 80, 100, 125, 150, 200, 250, 300)	Mechanical Joint
Fig. F0212-300	2, 2 1/2, 3, 4, 5, 6, 8, 10, 12	(50, 65, 80, 100, 125, 150, 200, 250, 300)	Flange × Groove (ANSI, ISO, JIS)
Fig. F0218-300	4, 5, 6, 8, 10, 12	(100, 125, 150, 200, 250, 300)	Flange (ANSI, ISO, JIS) × Push-On



Model No	Valve Size		End Connection
	in	(mm)	
Fig. F0288-300	4, 5, 6, 8, 10, 12	(100, 125, 150, 200, 250, 300)	Push-On x Push-On

Details

Class of Work : 1130 - OS&Y and NRS Gate Valves

Approval Standard : FM 1120, 1130 - Fire Service Water Control Valves (OS&Y and NRS Type Gate Valves)

Certification Type : FM Approved

Listing Country : China

Category : Gate Valves, Inside Screw

Company

Weflo Valve Co., Ltd

789 Chunyang Rd, Qingdao Nat'l High-Tech Ind Dev Zone,
Qingdao, Shandong 266111, China, Shandong
China

<http://weflovalve.com>

