


A55E, A56E, A55EG, A56EG



Fire
Protection

Angle hose valves, threaded or grooved connections

Datasheet
1043EN  03/2021



A55E



A56E



A55EG



A56EG

Forged brass angle pattern hose valves, with threaded or grooved connections, intended to control the flow of the water from the main risers in standpipe systems.

Turning the handle counterclockwise the hose valve opens, allowing the water to flow out from the valve; turning the handle clockwise, the valve shuts off.

Hose valves are used with a Fire Hose Rack Assembly, or as Fire Department outlet connections.

Versions and product codes

SERIES	SIZE	TYPE
A55E	2-1/2" x 2-1/2"	NPT-F inlet x NPT-F outlet
A56E	2-1/2" x 2-1/2"	NPT-F inlet x HOSE THREAD-M outlet
A55EG	2-1/2" x 2-1/2"	Groove inlet x NPT-F outlet
A56EG	2-1/2" x 2-1/2"	Groove inlet x HOSE THREAD-M outlet

➤ Technical data

- Rated pressure: 300 PSI (20,6 bar)

Materials

- Body: forged brass CuZn40Pb2 in accordance with European Standard EN 12165 CW617N, similar to American Standard ASTM B124 C37700
 - Yield stress of the material in the shape of bar: 360 MPa
 - Stress for permanent distortion R(0.2): 138 MPa
 - Elongation: 10 %
- Stopper: forged brass CuZn40Pb2 in accordance with European Standard EN 12165 CW617N, similar to American Standard ASTM B124 C37700
- Stem: brass EN 12164 CW713R
- Handwheel: red painted aluminum

Approvals: A55E, A56E




Approvals: A55EG, A56EG




➤ Dimensions

A55E




SIZE	A	B	C	D	E
2-1/2" x 2-1/2"	5-1/8"	10-9/16"	3-5/32"	2-5/8"	5-11/32"

A56E




SIZE	A	B	C	D	E
2-1/2" x 2-1/2"	5-1/8"	10-9/16"	3-3/16"	2-5/8"	5-3/8"

A55EG



SIZE	A	B	C	D	E
2-1/2" x 2-1/2"	5-1/8"	11-1/2"	3-5/32"	3-9/16"	5-11/32"

A56EG



SIZE	A	B	C	D	E
2-1/2" x 2-1/2"	5-1/8"	11-1/2"	3-3/16"	3-9/16"	5-3/8"

⚠ Safety Warning. Installation, commissioning and periodical maintenance of the product must be carried out by qualified operators in compliance with national regulations and/or local standards. A qualified installer must take all required measures, including use of Individual Protection Devices, for his and others' safety. An improper installation may damage people, animals or objects towards which Giacomini S.p.A. may not be held liable.

♻ Package Disposal. Carton boxes: paper recycling. Plastic bags and bubble wrap: plastic recycling.

ℹ Additional information. For more information, go to giacomini.com or contact our technical assistance service. This document provides only general indications. Giacomini S.p.A. may change at any time, without notice and for technical or commercial reasons, the items included herewith. The information included in this technical sheet do not exempt the user from strictly complying with the rules and good practice standards in force.

♻ Product Disposal. Do not dispose of product as municipal waste at the end of its life cycle. Dispose of product at a special recycling platform managed by local authorities or at retailers providing this type of service.